FRURE 2

**1** 

The first state state state state state and set state and state state state state state state state state state


	• •	~
4	4	4
•	•	
×	22-	2
	~	~
•	٠,	•
/		
_	٥	`
_	e ci	١.
o	āñ.	
$\alpha$	3 6	
10	AMPA	
	<	_


50 SHEETS 100 SHEETS 200 SHEETS

eay				+ - m		free as a *	**************************************		* * * * * * * * * * * * * * * * * * * *	· ·
Pulse DATA ARRAY										
Pots	410×	pulsé Mensuzananti	Risetine = 20.5 ns Fall Line = 16,1 ns Width = 102.3 ns Vp-p = 2.62 v Checkstopp = 7.65%			***				
	408	COUNTE	5 <u>+</u>	1.5 ps	2,1,45		` ` `		, , ,	
Puse #	904	Pulse Type	<u>_</u>	2	۵_			- , <b>4</b> ,		
	404	Pulse H	_	2	8	•••	1075	,		
	hze 428	HENSUREHOUT	Riscours High - High - High - High - Hall Die	Move-						•
	407	ACO. #	_					7	~	

FGURE 4

TO USER Flowe S. TO FROM PUISE DATA MRRAY SELAYTIME SYO 50 SHEETS 100 SHEETS 200 SHEETS 22-141 22-142 22-144 2015€ INFO 536 Pulse No. ODAINA ON PROP SEARCH ARMY GOLESCATOR 518 SEARCHER 502 Pulse Locator Soc 1146 FINDER 508 Soenas Soy SEARCH ARRAYS SIB CROSS REFERENCE ARRAY Pulse Anningzor 204 Subset NOCX THE YMVE 53) INDEX SOR F SEARCH OCCURRAGE NO. 528 2/0 TOTAL OCCURRANCES 522 TIME VAINE 532 SORT CEITERIA Pulse No . 526 SEARCH CEITECHA ) 520 Pulse DAME ARRAY To/FROM USER INTERFICE






PULYS DATA ATRAY MEASURCHENTS -DON'S SCHECT DESIRED PUISG MEMBERRAMES PENK-10-POTA VOLTAge ~ 8040 XYZ STAWDARD ~ BOYG Risering ~ BOUA PUSELLIOTH - BOYC 1 809B oversition ~ Boylis Shop - The FMITIME -

Pulse Mexicusoroutsel DIA109 BOX 800



22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS



AMPAD 22-141 22-142 22-144

50 SHEETS 100 SHEETS 200 SHEETS

Cadada

22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS

PUISE SORT CRITTERD

PUISE SORT CRITTERD

PRIMARY


PREDDING

PRECEDING

PRECE

PUISE SORTCRIBER

FLGURE 96



FLURE 10A

L Pulse Andysus Winson 100 APPA APPA ALTHE SATISM TO ATTEM ATTEM ATTEMPTS AT THE ATTEMPTS AT THE ATTEMPTS ATTEM



22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS




FIGURE 10B

GENERATE PULSE

DATA ATERMY HAVING
CHARACTERS TOS OF
PREVIOUSLY ACQUIRED


SIGNAL PULSES

DATA ATERMY IN
RESPONSE TO
OPERATOR SPECIFICATIONS

FIGURE 11


FIGURE:12

FIGURE 13B



...:

FIGURE 14



FGURE 15